

AJC

Notice of Allowability	Application No.	Applicant(s)	
	10/634,878	SOHDA ET AL.	
	Examiner Nikita Wells	Art Unit 2881	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to "Amendment" received 13 July 2004.
2. The allowed claim(s) is/are 1-20.
3. The drawings filed on 06 August 2003 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

Nikita Wells
Primary Examiner
Art Unit: 2881

DETAILED ACTION

Claim Rejections – 35 USC 112

1. The Applicant has corrected the antecedent problem involved with claims 16 and 17, and thus the 35 USC 112 rejection has been withdrawn.

Allowable Subject Matter

2. Claims 1-20 are allowed.
3. The following is an examiner's statement of reasons for allowance:

The Applicant amended claims 1, 8, and 14-16, according to the "Amendment" received July 13, 2004 and presented arguments in favor of allowance of the newly amended claims. The Applicant demonstrated to the Examiner's satisfaction that, with respect to the 35 U.S.C. 102(e) and the 35 U.S.C. 103(a) rejections of the independent claims 1, 8, 14, and 15, the primary reference of S. Goto (6,452,193 B1) is no longer applicable to the Applicant's invention. With respect to the above independent claims, S. Goto, and any other prior art, fails to disclose or make obvious the feature of the present invention, in which an electron beam exposure apparatus or method includes, in addition to the accompanying features of the claims, the calculating of data to control the aligners and the electromagnetic lenses based on the position of the electron beam, and in particular does not disclose the data control circuit that controls an aligner control circuit and a lens control circuit. Accordingly, the 35 U.S.C. 102(e) and 103(a) rejections are be withdrawn, and therefore, the independent claims 1, 8, 14, and 15 are allowed.

The dependent claims 2-7, 9-13, and 16-20, are allowed by virtue of their dependence upon claims 1, 8, and 15, respectively.


Conclusion

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nikita Wells whose telephone number is (571) 272-2484. The examiner can normally be reached on 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R Lee can be reached on (571) 272-2477. The central fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Nikita Wells, Primary Examiner

Art Unit 2881

August 30, 2004